

Best Treatment Of Breast Augmentation Capsular Contraction At Aspen After Surgery Center

Coral Springs, Florida Apr 27, 2022 ([Issuewire.com](https://www.issuewire.com)) - For women who have breast implants or breast reconstruction, problems such as capsular contracture are possible. According to several studies, the number could be as high as one in ten. So, what exactly is a contracture of the capsular ligament?

When it comes to looking for the best [Liposuction Fibrosis treatment](#), the indeed Aspen After Surgery Center

The human body possesses a high level of intelligence. There is a natural reaction to a breast implant after being implanted. The body forms a layer of scar tissue in response to an injury. The capsule is what we call it. It's where the implant is going to stay. In addition to ensuring that the implants are placed evenly, massage routines keep the implant capsule supple and pliable. As a final goal, we want the breasts to feel as though they are natural.

Scar tissue around the implant can tighten or contract in certain patients.

Some cases of "capsular contracture" are modest, while symptoms including breast hardness and distortion are expected for others. Some people experience it right once, while it could take months or even years to manifest for others.

An in-depth discussion of **breast augmentation complications** will be provided on this page, along with a list of treatment alternatives.

Capsular contracture is caused by what?

One of the many causes of **breast augmentation capsular contraction** is infection after breast implant surgery. Still, it can also occur when blood or fluid collects around the implant due to a hematoma or a seroma development. Most experienced plastic surgeons recommend that patients refrain from taking supplements or medications that may increase the risk of bleeding, such as Ibuprofen, Aspirin, vitamin E, and fish oil.

According to recent research, a "Biofilm" may be the primary cause of capsular contracture. An implant contracture could be caused by bacteria living in this film. Your teeth are covered in Biofilm, and Tartar is an excellent illustration.

What Treatments Are There?

Unfortunately, non-surgical options like medications and even ultrasound programs haven't been as effective as expected.

Capsulotomy, which involves releasing the scar tissue around the implant to widen the capsule, is the most common surgical procedure.

Patients and doctors are frustrated when contracture returns after surgery or a subsequent capsulectomy procedure. There is some evidence that laying specially prepared tissue around an

implant may help to reduce the likelihood of contracture returning. However, this material is still under investigation and has not been approved by the FDA for routine treatment for [Painful breast implants](#).

Conclusion

Consider the fact that not all cases of capsular contracture require surgery. If the condition is mild, it may not even be noticeable.

Media Contact

Aspen After Surgery Center

info@aspenaftersurgery.com

954-341-7875

9900 West Sample Road Suite # 102

Source : Aspen After Surgery Center

[See on IssueWire](#)