How Laikeman Provides One-Stop Pickleball Court Solutions for Global Sports Facilities



Baoding, Hebei Nov 9, 2026 (Issuewire.com**)** - How can international sports venues eliminate multi-supplier friction and maintain rigorous surface standards for fast-growing paddle sports? Venue managers, event organizers, and club directors frequently coordinate with separate entities for base subflooring, surface textures, regulatory line markings, and net equipment. Managing multiple vendors often results in inconsistent traction, delayed field installation, and misaligned court boundaries. Integrated manufacturing offers a streamlined alternative, delivering one-stop Pickleball court solutions where every material component—from calendered film to pre-marked court rolls—is produced within a single production ecosystem.

Laikeman (Xiong County Laikeman Plastic Products Co.,Ltd) structures its production model to resolve supply chain fragmentation. By consolidating base film manufacturing, specialized surface texturing, precision custom printing, and prefabricated rolling systems, Laikeman simplifies court procurement while ensuring technical consistency across indoor and outdoor sports facilities worldwide. When sports complex developers attempt to assemble a functional court from disjointed sources, minor variations in layer thermal expansion or coefficient of friction can compromise athletic performance and long-term durability. Direct factory integration minimizes these operational risks by synchronizing physical material properties across every section of the playing surface.

Tiered Product Systems for Training, Tournaments, and Temporary Venues

Different playing environments demand specific mechanical properties, surface textures, and shock absorption profiles. Rather than relying on a single uniform floor spec for all applications, Laikeman

categorizes its synthetic PVC sports flooring into three target product lines engineered for distinct operational requirements.

1. PMS Training System

The PMS series features a 3.5mm thickness profile with a specialized sand-grain surface finish. Designed primarily for municipal recreation centers, commercial fitness clubs, and training academies, this surface provides a balanced combination of foot traction and vertical deformation. The 3.5mm multi-layer PVC structure attenuates lower-body impact during frequent lateral movements, helping to reduce joint strain during long practice sessions.

2. LKM Tournament System

Engineered for professional competition and official league play, the LKM series utilizes a 3.0mm profile paired with an acrylic-grain friction layer. This surface profile delivers predictable ball bounce characteristics and linear skid resistance under aggressive footwork. The LKM series has proven its field reliability in international tournament settings, including the PPA Tour Macao station, where consistent ball response and steady grip are vital for competitive integrity.

3. PME Portable and Custom Print System

For temporary event setups, multi-purpose halls, and branded commercial venues, the PME series offers flexible roll-out formats. These systems feature factory-applied regulatory court lines measuring 13.41 × 6.10 meters, corresponding exactly to standard court dimensions. The prefabricated format allows event operators to convert vacant floor space into a playable court quickly, bypassing manual field painting and boundary measuring.

Manufacturing Control and Industry Standard Participation

The structural reliability of any Pickleball court depends heavily on the consistency of its raw materials and structural backing layers. Xiong County Laikeman Plastic Products Co.,Ltd operates two dedicated manufacturing bases located in Xiong'an and Ulanqab, maintaining full operational control over the complete manufacturing cycle from raw resin processing to finished product inspection.

Laikeman began as a producer of specialized PVC calendering films before expanding into fully finished athletic flooring. By manufacturing its own base calendering films in-house, the company prevents layer delamination, batch-to-batch color variation, and density discrepancies that frequently occur when sourcing base substrate sheets from external suppliers. The internal manufacturing process seamlessly integrates resin compounding, precise calendering, liquid surface coating, glass-fiber stabilization grid lamination, and automated precision roll printing under strict quality control protocols. The Xiong'an facility leads new material research, engineering design, structural testing, and international sales outreach, while the Ulanqab facility handles high-volume extrusion, continuous liquid coating, and rolling operations.

Beyond raw manufacturing capacity, Laikeman actively contributes to quality standardization within the synthetic sports surface industry. Xiong County Laikeman Plastic Products Co.,Ltd participated directly

in drafting the Chinese group standard T/WQTB1006-2024 for sports flooring materials. The company's products undergo rigorous third-party evaluation, maintaining documented test records under recognized domestic and international standards, including ITF, PPA, and UPA-A performance framework criteria. These certifications cover essential physical metrics such as vertical deformation, energy restitution, sliding coefficient, and tensile resistance under varying climatic conditions.

Integrated Prefabrication, Customization, and Logistics

Transitioning from raw material rolls to an operational playing surface requires accurate court line painting, precise logo integration, and reliable international export handling. Laikeman integrates these post-processing steps directly into its factory assembly workflow to eliminate the necessity for expensive site labor and specialized installation crews.

Facilities can specify prefabricated court lines pre-printed onto roll-out mats during production. This process uses high-durability wear-resistant inks that withstand continuous foot traffic and routine maintenance without flaking, fading, or bleeding into the main surface layer. Xiong County Laikeman Plastic Products Co.,Ltd also offers OEM custom branding, tailored color matching to align with venue aesthetics, and standardized roll dimensions such as 7 × 15 meter mats tailored to quick-deploy event requirements. Pre-marked roll systems drastically reduce setting time, enabling facility crews to unpack, lay down, and secure a complete playing court in a fraction of the time required for traditional liquid-applied acrylic coatings.

To complement its core PVC surface manufacturing, Laikeman assists facility owners with peripheral venue accessories. Equipment such as professional net systems, anchor posts, heavy-duty court dividers, and perimeter dividing barriers can be coordinated alongside primary flooring orders to streamline container loading and overseas shipping.

Manufacturing Integration Streamlines Venue Deployment

At its core, a complete supply model relies on factory-level integration rather than simple commercial reselling or third-party sourcing. By linking raw material calendering, specialized surface design, industry standard drafting, and prefabricated printing within a single manufacturing chain, Xiong County Laikeman Plastic Products Co.,Ltd reduces setup friction for sports facility operators worldwide.

When contractors select a unified manufacturing platform, they gain predictable product behavior, traceable testing data, and direct technical support. Facility managers, contractors, and event organizers seeking verified technical specifications or custom sample swatches can review full product catalogs and direct engineering contact channels at https://lkmfloor.com/



Media Contact

XIONG COUNTY LAIKEMAN PLASTIC PRODUCTS CO.,LTD

*********@lkmfloor.com

+86 18547130963

xiongzhou road 546-1, xiongan, Hebei, China

https://lkmfloor.com/

Source : XIONG COUNTY LAIKEMAN PLASTIC PRODUCTS CO.,LTD

See on IssueWire