Top Tips for Selecting a Concrete Formwork Manufacturer: Lessons from KITSEN's Global Partnerships



Yangjiang, Guangdong Nov 12, 2026 (Issuewire.com) - Choosing a concrete formwork manufacturer involves far more than comparing formowrk unit price. Formwork system determines the construction speed of the structure, the concrete surface quality and labor costs of each concrete pour, and those outcomes depend on load-bearing capacity, reusable cycles, and the raw material quality of the formwork. A supplier evaluation that compares vendors solely based on catalogue prices ignoring key factors that determine a project's total real cost. This guide gives procurement managers a structured framework for that evaluation, using the experience KITSEN has accumulated through concrete formwork systems delivered to projects in Abu Dhabi, Mauritius, Dubai, and numerous projects across China.

Drawing from KITSEN's 30 years of manufacturing experience, the following five dimensions provide a structured framework for procurement managers to evaluate a concrete formwork manufacturer:

• Load capacity and reuse cycles: the concrete pressure the system withstands per pour and the

number of pours the panels endure before replacement

• Early-stripping efficiency: the floor cycle time the slab system achieves through dropheads.

• Safety certifications and quality standards: the welding, material, and testing certifications behind the production process

• Technical guidance and on-site support: the drawing-based proposal and the site guidance available during the first assembly

• OEM delivery cycle: the time from project drawings to confirmed proposal to production and shipment

Load Capacity and Reuse Cycles

The first dimension is the engineering capacity of the system. The K100 wall formwork is one of KITSEN's flagship wall & column formwork systems. It withstands a concrete lateral pressure of 60 kN/□, with each panel weighing 25 kg/□ and frame thickness of 100 mm, meeting the load limit requirements for a single concrete pouring operation.It is equally impressive in terms of long-term economic benefits: the aluminum frames in KITSEN systems can withstand up to 1000 pours, while plywood panels can be reused 60 times on both faces. A system that reliably carries structural loads while offering high repetition cycles forms the foundation of a sound formwork investment.

The material choice inside the panels is what grantees this reuse promise. KITSEN adopts AA-grade birch plywood bonded with phenolic resin glue. The plywood passes a 72-hour boiling test with no delamination, and withstands over 1,000 abrasion friction cycles in wear resistance testing. For a procurement manager, these metrics translate into a predictable replacement schedule and a lower cost per pour across the project lifecycle.

Early-Stripping Efficiency

The second dimension is construction speed. KITSEN's Speedeck slab formwork system features a drophead mechanism that can be lowered by 6 mm. This design enables early stripping of panels and main beams, while adjustable props retain support for concrete during curing. This early-stripping sequence enables an efficient floor constructioncycle of 5 to 7 days using just four basic components: panel, drophead, main beam, and prop. The largest Speedeck panel weighs only 15.33 kg, allowing a single worker to handle any component without crane assistance. To streamline maintenance, Speedeck main beams are powder-coated and prop attachments come with protective housings to stop concrete buildup and cut down cleaning work. Furthermore, each prop supports a maximum covered area of 3.45 □.This large supporting area drastically cuts the total number of props needed on site, lowering overall prop usage and saving labor time & costs. This wider prop spacing also provides an open, comfortable working area that facilitates smooth material transport and on-site storage. When evaluating suppliers, procurement

managers find that this early-stripping efficiency directly determines monthly project progress and the labor hours consumed per floor.

Safety Certification and Quality Standards

The third dimension covers the certification and quality infrastructure behind the products. KITSEN holds ISO 9001 Quality Management System, ISO 14001 Environmental Management System, ISO

45001 Occupational Health & Safety Management System certifications, alongside TUV/GS and IIW International Welding certifications. Procurement teams can review these complete compliance documents directly on our official Quality & Safety Certification Center. These rigorous credentials ensure that all load-bearing components meet stringent European structural safety standards, providing site engineers with absolute confidence in weld integrity and heavy-duty load performance. The aluminum tower series is manufactured and tested in strict compliance with BS EN 1004, the European standard for mobile access towers, while the production line enforces incoming material inspection, in-process quality control, and factory in-house testing—including static load testing and salt spray corrosion resistance testing.

For international projects, the certification record serves as both critical procurement documents and formal quality proof. Third-party inspection through SGS, QIMA, or TUV is available prior to shipment, and KITSEN assigns batch tracking numbers that trace each unit to its specific production lot and operator. These records enable procurement teams to verify that delivered formwork fully aligns with the certified production standards.

Technical Guidance and OEM Delivery

The fourth dimension covers the engineering and technical services surrounding the product. KITSEN's standard service workflow starts with clients' structural construction drawings. Our engineering team will then develop a fully customized proposal, including tailored formwork layout drawings and detailed structural load calculations. To guarantee flawless implementation, KITSEN dispatches experienced technical personnel to provide on-site guidance, significantly shortening the learning curve for project crews and ensuring safe, standardized installation.

Production Capacity and Global Track Record

The fifth dimension is delivery capacity and supply reliability. This drawing-to-proposal-to-production sequence is backed by a massive annual output reaching 1,000,000 $m^2$of formwork and 800,000 pieces of shoring equipment. Global project evidence completes the picture: KITSEN systems have successfully served major construction developments across Mauritius, Dubai, Abu Dhabi, Thailand, Malaysia, the United States, the Philippines, and Myanmar, and was the first supplier to launch engineered modular formwork systems in China in partnership with Vanke. For decision-makers evaluating supply chain risk, these combined metrics provide undeniable proof of supply reliability and large-scale execution capacity.

Structured Evaluation vs Single-Point Comparison

This standardized five-dimensional assessment evaluates load capacity, early stripping efficiency, safety certifications, technical services and delivery lead times in a balanced manner, streamlining supplier selection far better than simple cross-vendor price comparison based solely on catalog quotations. The benchmark drawn from KITSEN global partnerships gives procurement managers concrete reference values for each dimension, turning the evaluation into a documented process rather than a subjective comparison.

Conclusion

Load capacity and reuse cycles, early-stripping efficiency, safety certification, technical guidance, and OEM delivery are the 5 dimensions that define a concrete formwork manufacturer worth evaluating. KITSEN addresses all five across its product range, with the 60 KN /m^2 K100 system, the 5-to-7-day

Speedeck floor cycle, ISO and EN1004 certified production, drawing-based engineering support, and an annual capacity of 1,000,000 m^2 of formwork. The lessons from the company global partnerships, from Abu Dhabi to Mauritius to Dubai, provide procurement managers with reference values that make the selection process measurable.

You can find more information about KITSEN concrete formwork systems and global project cases on our official website: https://www.kitsen.com/. Procurement inquiries can be directed to the KITSEN sales team through the website.





Media Contact

KITSEN Formwork and Scaffolding Technology Co., Ltd.

*********@kitsen.com

+86 13160522883

Fengwei Shan, Beiguan Town, Yangjiang, China

Source : KITSEN Formwork and Scaffolding Technology Co., Ltd.

See on IssueWire